

Major Study: Covid Shots Are SOLE Cause of Child Heart Failure Surge

By Frank Bergman • August 18, 2024 - 12:54 pm



An explosive study has finally confirmed that Covid mRNA shots are the sole cause of an unprecedented global surge of heart failure among children.

The study shuts down previous claims from the corporate media and so-called experts who have tried to blame the phenomenon on COVID-19 and other factors such as sugar intake, video games, and even so-called "climate change."


5

As Slay News has been reporting, cases of cardiac-related deaths and heart failure such as myocarditis and pericarditis have been soaring around the world since the Covid injections were rolled out to the public in early 2021.

Latest News



DNC Attendees Can't Name A Single Harris Policy, Video Shows: 'I Don't Know'



Trump Responds To Polls Showing Black Voters Dumping Democrats: 'They Know They're Being Conned'

Myocarditis and pericarditis are inflammatory conditions of the heart and are generally considered to be rare, especially among children.

Severe cases can lead to serious complications and even sudden death.

Both conditions are known side effects of the Covid mRNA shots.

In response, health officials and the corporate media have been pushing the claim that the COVID-19 virus, and not the shots, is behind the phenomenon.

However, a new large-scale study from renowned scientists at the prestigious University of Oxford has just confirmed that myocarditis and pericarditis only appear in children and adolescents after Covid vaccination and not after infection from the virus.

The new study looked at the official government data of more than 1 million English children and adolescents aged between five and 11 and 12 and 15.

DON'T BE A VICTIM OF THE WAR ON FOOD!


- Stock up on real all-American beef and get 15% off today with promo code: CLEANCOWS -

The study compared vaccinated and unvaccinated subjects.

The researchers also took into account the number of doses of vaccine received.

In detailing their findings, the researchers wrote:

"All myocarditis and pericarditis events during the study period occurred in vaccinated individuals."



Over 100 Non-Citizens Caught Voting In Ohio's Recent Elections



Rachel Maddow Admits 'Everybody' At 'MSNBC Mothership' Was 'Stamping And Clapping' For Tim Walz's DNC Speech



Target CEO Shreds Kamala Harris' Claim That Retailers Are 'Price Gouging'

Slay the latest News for free!

Email Address *

SUBSCRIBE

We don't spam! Read our [privacy policy](#) for more info.

The study also noted that hospitalization related to COVID-19 was extremely rare among children and adolescents.

Additionally, there were no deaths from the virus recorded among the entire subject population.

The English data show that myocarditis and pericarditis were only recorded in vaccinated children and adolescents.

Other [studies](#) have claimed that myocarditis risk is higher after infection with the virus.

JOIN THE FIGHT - DONATE TO SLAY NEWS TODAY!

Adolescents had a significantly higher risk of contracting the conditions than children.

The vast majority of myocarditis and pericarditis cases occurred after the first dose of the vaccine, the study found.

Over half of the adolescents who suffered from the conditions visited the hospital as a result.

This news follows another recent study, from some of America's most well-respected researchers, that found that Covid shots were responsible for soaring sudden deaths around the world.

As [Slay News reported](#), the case study was [conducted](#) by Harvard Medical School and chronicled soaring cases of fatal cerebral ischemia over the past three years.



Donate to Slay News

Help to keep Slay News independent by donating today! All donations go directly to supporting our fearless journalism.

\$ 100

\$ 10 \$ 25 \$ 50

\$ 100 \$ 250 Custom Amount

Make this donation monthly

Continue >

Cerebral ischemia is a form of deadly brain damage triggered by insufficient blood flow to the brain.

The Harvard researchers found that Moderna's Covid mRNA injections specifically caused the recent spike in the fatal disorder.

Leading experts have been responding to the explosive study by raising the alarm about the mRNA vaccines.

The Harvard study is the latest in a long line of studies linking the shots to sudden death and potentially fatal side effects.

In response to the Harvard study, Dr. John Campbell published a video breaking down the results.

"This could not be a more serious report," Campbell warns.

Dr. Peter McCullough also discussed this case study on his Substack.

"We are becoming accustomed to unexpected death after COVID-19 among young persons who have taken one or more injections of the COVID-19 vaccine," McCullough said.



“It is important to realize that not all deaths after vaccination are cardiac.”

Slay News recently reported on the bombshell admission from the U.S. Centers for Disease Control and Prevention (CDC) that the Covid mRNA shots have killed hundreds of thousands of American children and young people.

The explosive admission was uncovered in a secret CDC report showing that a staggering half a million American children and young adults have been killed by Covid shots.

The CDC report has revealed that almost 500,000 Americans aged between 0 and 44 years old died from the dangerous side effects of the Covid mRNA injections.

The recorded deaths occurred between the start of the public rollout of the shots in early 2021 and October 9, 2022.

However, due to the timeline of the data, the already shocking figures do not include deaths recorded over the past year and a half.

[READ MORE – Turbo Cancers Skyrocketing in Younger People at Alarming Rate](#)

SHARE:

5



- #Cardiac Arrest
- #Children
- #Covid Shots
- #Heart Failure
- #Study
- #Sudden Deaths
- #Vaccines